



NEWSLETTER 08-2018

Weaving Machines & Supply

we offer subject to prior sale:

Item#005359

SPECIAL PRICE FOR FAST DECISION

3 Savio Espero L Autoconer

year 1992, Model R.S., Head Stock 2x LHS - 1x RHS, 60 winding heads, Cone Size 59x28x170, Take up/winding traverse 152 mm, Conicity 4 deg 20 min, Standard Anti pettering system for Expero, Air type Mesdan - 490 Splicer, 2 Grooved Drums, Centralized Pneumatic yarn Tensioner control Uster Quantum 2 Clearer new in year 2014 with Foreign Fiber Detection, with waxing unit

Machines are processing Natural/Synthetic/Blended staple yarn

Download Pictures here:

<https://www.dropbox.com/sh/51g95ldr2r0u7rj/AACNUQSlpyXvgkxcZY3tUVIRa?dl=0>

Video: <https://youtu.be/a0iizjPJ-fA>



The following weaving equipment from Germany

Item#005360

1 Zell Sizing Machine

1. (Benninger) ZELL sizing machine

working width 2200 mm, year 1986, max. speed 100 – 120 m/min., consisting of:

- Beam creel for max. 16 beams,
pneumatic breaking system, max.diam. 1000 mm, warp tension compensator
- 1 Size trough, type ECO Press 10, with pre-wetting device, double dip and double squeezing
(recoated 1 resp. 2 years),
- 1 Drying section 9 cylinders with steam hud, thereof
1 Synchro 4 with 4 teflon cylinders
1 section Sucker Müller: 5 drying cylinders (2 teflon and 3 x steel)
- 1 waxing device
- 1 Mahlo humidity control RMS 8
- 1 partioning field
- 1 Headstock type Zell, max. beaming width 360 cm, pressure device
- Size kitchen: 1 turbo cooker and 1 storage tank
- 1 electrical switch cabinet / panel
- Incl. Spare rollers and parts as available



Download Pictures here:

<https://www.dropbox.com/sh/bgps9juf4h1lpob/AACBsPpFqsAemTdoqMRdmrtKa?dl=0>

Item#005361

6 DORNIER JACQUARD LOOMS - HTV 8J

year 1990, nominal width 330 cm, EDU panel,
autom. pick finder, single beam, Maltese cross regulator (cramming motion),
electronic (4) and and mechanical (2) warp let-off, on-loom take-up,
leno selvedge

Accessories per loom:

2 weft feeder ROJ AT 1200

1 warp beam (full width)

1 cloth roller

each with

1 GROSSE Jacquard machine Unirapid II

1344 hooks, mech.



Overall 1 Card punching machine with Computer for design transfer (PC, Monitor etc.), new paper cards, some spares for the jacquard as available

Download Pictures here:

<https://www.dropbox.com/sh/asuybnadhn3h149/AAACXroOmGdullc63-fz75JQa?dl=0>

Office:

Dammstr. 4G

91083 Baiersdorf
Germany

Tel. +49 – (0)9133 – 769 88 – 64
Fax + 49 – (0)9133 – 769 88 – 65

info@xtema.de
www.xtema.de

UST-ID. / VAT-No.:
DE812922187



Item#005362

1 STAUBLI JACQUARD MACHINE – LX 1600 – Format 6144

Year 2000, with 5280 hooks installed (6144 capacity), JC 5, M5, Cpl. with cardan, machine worked on top of a Dornier PTV loom.



Download Pictures here:

https://www.dropbox.com/sh/x0wulnv7wxmtgk8/AACcrUfle1_s8yLlkkVptBiZa?dl=0

Video: <https://youtu.be/dMdS5fMxTaA>

Item#005324

b) Shearing & brushing machine Vollenweider

Type Peerless TSF-1T, suitable for heavy duty shearing width up to 190 cm (width of fabric) roller width 210 cm
year: 1999
stepless adjustable speed 3-30 Meter/min
shearing from top



Download Pictures here:

<https://www.dropbox.com/sh/f9xxe6p6oaaaruq/AACZcKN169LUuYU-U-JVpDQba?dl=0>

Item#005329

a) 1 set used Jacquard machines, make Stäubli (CH)

thereof:

1 x **type LX1602**, 2007 (1) format 4096 hooks –
3960 + selvedge hooks installed, controller JC6 and modules M6

All machines are complete with their standard accessories
each with 1 set complete harness (16.096 ends), unhooked (not cut)

Download Pictures here:

https://www.dropbox.com/sh/7huadkeu15wpcn6/AAD_ofXUFS4xLxrUD0iJfaHTa?dl=0


b) 4 sets used Jacquard machines, make Stäubli (CH)

thereof:

3 x **type DX100**, year 2005 - format 1344 hooks, controller JC6 and M6

1x **type CX870**, year 2003 - format 1344 hooks, controller JC5 and M4
upon request with harness

All machines are complete with their standard accessories.





Item#005355

Warp beams used on Dornier Looms

- a) 36 Warp beams, flange dia. 800 mm, 3670 mm length, tube dia. 150 mm, thickness 4 mm
- b) 31 Warp beams, flange dia. 700 mm, 3140 mm length, tube dia. 150 mm, thickness 4 mm
- c) 17 Warp beams, flange dia. 700mm, 3140 mm length, tube dia. 150 mm, thickness 6 mm

reinforced beam-type suitable for polyester

Download Pictures here:

https://www.dropbox.com/sh/io28t8hg3d0tdoh/AAAQDTKT_LLtUAXSCgpkPM_oa?dl=0

