



NEWSLETTER 50 - 2015

Weaving

We offer subject to prior sale:

Item#005144

08 SULZER PROJECTILE DOBBY LOOMS PU 153 with Staubli KR dobbie

consisting of:

c) 2 SULZER PROJECTILE LOOMS, type PU 153 VSD 110 KR D1
four colors, Staubli KR 1 - 1430 dobbie - 14 shafts installed, split beams, on-loom take-up,
selvedge: side and center tuck-in, double whip rollers

Each machine equipped with:

1 weft feeder for single color and 2 weft feeders for MW, two and four color looms, with el. control box + creel,
6 heald frames,
3 half warp beams d: 800 mm,
1,5 cloth rollers
1 center tuck-in unit (TLL)

5.000 heddles and drop wires each

machines in good and complete working condition, presently running - ready for delivery



Item#005127

18 SULZER PROJECTILE DOBBY LOOMS PU 153 PU 153 ZSD / VSD 110 KR D1

consisting of:

- a) 7 SULZER PROJECTILE LOOMS, type PU 153 VSD 110 KR D1
four colors, Stäubli KR 1 - 1430 dobby - 14 shafts installed, split beams, on-loom take-up, selvedge: side and center tuck-in, double whip rollers
- b) 2 SULZER PROJECTILE LOOMS, type PU 153 ZSD 110 KR D1
two colors, Stäubli KR 2 - 2400 dobby - 14 shafts installed, split beams, on-loom take-up, selvedge: side and center tuck-in, double whip rollers
- c) 9 SULZER PROJECTILE LOOMS, type PU 153 VSD 110 KR D1
four colors, Stäubli KR 2 - 2400 dobby - 14 shafts installed, split beams, on-loom take-up, selvedge: side and center tuck-in, double whip rollers

Each machine equipped with:

2 weft feeders, with el. control box + creel,
6 heald frames,
3 half warp beams d: 800 mm,
1,5 cloth rollers
1 center tuck-in unit (TLL)
5.000 heddles and drop wires each

machines in good and complete working condition, presently running - ready for delivery



Item#005114

8 SULZER PROJECTILE DOBBY LOOMS - P7100 S360 N2 SP R D1 - reinforced

year 1995 - s/n 130.000, 2 weft colors, max. working width 360 cm / 143"
Stäubli electronic dobby - type 2665 - 18 / 18 shafts installed with autom. pick finding

interval lubrication, on-loom take-up, double whip roller,
split beams; flange diam. 800 mm, electronic warp-let-off,
Grob Sensitron warp stop motion
selvedge: side and center tuck-in

Accessories per loom:

10 heald frames,
2 weft feeders,
2 half warp beams, d:800 mm ,
1.5 cloth rollers,
10.000 healds & droppers,
1TLL - center tuck-in device

Item#005129

03 SULZER PROJECTILE LOOMS type TW11 153 ES E10 105 D1

single color, with cam motion - 10 shaft capacity - 7-8 shafts installed, split beams, yoc 1970-1975, selvedge: side and center tuck-in

Accessories per loom:

1 TLL (Tucking unit)
1 weft accumulators with el. panel
6 heald frames
3 Half warp beams(d=800)
1,5 cloth beam
5000 heddles and 5000 droppers

In very good running condition



Item#005142

6 DORNIER AIR-JET LOOMS MOD. AWSE 4/S

Nominal width 2100 mm,
year of construction 2005 (3), 2006 (3)
speed 850 rpm – working average 600 rpm, High quality wool fabrics
Staubli dobby type 2881 16/16 shafts, 4 colors
Automatic system for air pressure regulation type Servo Control

Accessories to each loom :

1 warp-beam with flanges diam. 940 mm
1 cloth-roller
10 healdframes for heddles 331 mm length
5000 heddles
5000 droppers
4 weft-accumulators
Looms in top conditions

Item#005112

12 DORNIER AIRJET WEAVING LOOMS, TYPE AWV 2/E, year 2002

s/n 75.000, nom. width 300 cm, AT-2 dialog panel, 2 weft colors,
Stäubli cam motion type 1600 - 6/6 shafts installed, on-loom take-up
ECT = electronic take-up
EWL = electronic warp let-off
pneum. side tuck-in selvedge, single warp beam - flange diam. 1016 mm,
working at effective speed of 650 rpm and 97-98% efficiency

Accessories per loom:

1,5 cloth roller
1,65 warp beams (total 20)
2 weft feeders
6 heald frames
heddles and droppers



Item#004882

6 SULZER Projectile Weaving Looms - P7300 B390 2 EP D12 R - reinforced suitable for fabrics upto 17 Oz. like industrial fabrics, canvas, shirting, suiting and etc.

Model : SULZER P7300 RR - Y.O.C : 2004

Width : 3900 mm / 153", max. speed 350 rpm / ppm

Shedding : Cam Motion E10 - 10 shafts installed

Auto Pick finding, 2 warp-let-off motors, single beam execution,

Selvedge: side tuck-in,

Remarks -

1. Auto Pick finding
2. Central control with microprocessor
3. Warp tensioning with torsion bar.
4. Additional measured lubrication
5. "RR" equipment for heavy fabric with 2 bars warp tensioning.
Weft selector for 2 colours
6. Automatic frames levelling device.

Accessories to with all 6 looms :

18 Warp-beam with Flanges diameter 1000 mm

42 Heald Frames

25000 Heald Wires

20000 Droppers

12 Weft - Accumulators of IRO Luna

6 Batching Machine of GROB width 3900 mm.

Big Lot of spare parts include mechanical spares and electrical cards

Looms are re-inforced (RR) suitable for cotton, PC, PV, Polyester, Linen and etc.