



NEWSLETTER 38 - 2015

Exclusive offer

Weaving

We offer subject to prior sale:

Item#005114

18 SULZER PROJECTILE DOBBY LOOMS - P7100 - 360 cm

consisting of:

08 x type P7100 S360 N2 SP R D1 - reinforced

year 1995 - s/n 130.000, 2 weft colors, max. working width 360 cm / 143"

Stäubli electronic dobby - type 2665 - 18 / 18 shafts installed, with autom. pick finding

10 x type P7100 S360 N4 SP D1

year 1989 - s/n 113.000, 4 colors, max. working width 360 cm / 143",

Stäubli KR rotary dobby type 2035 - 18/18 shafts installed with autom. pick finding,

GS lubrication, on-loom take-up, double whip roller,
split beams; flange diam. 800 mm, electronic warp-let-off,
Grob Sensitron warp stop motion
selvedge: side and center tuck-in,

Accessories per loom:

10 heald frames,

2 weft feeders,

2 half warp beams, d:800 mm ,

1.5 cloth rollers,

10.000 healds & droppers,

1TLL - center tuck-in device

EXTREMELY WELL MAINTAINED – EXCELLENT WORKING CONDITION

Delivery ready – further details upon interest



Item#005127

18 SULZER PROJECTILE LOOMS PU 153 PU 153 ZSD / VSD 110 KR D1

consisting of:

a) ~~7 SULZER PROJECTILE LOOMS, type PU 153 VSD 110 KR D1~~ SOLD
~~four colors, Stäubli KR 1 - 1430 dobby - 14 shafts installed, split beams, on-loom take-up,~~
~~selvage: side and center tuck-in, double whip rollers~~

b) 2 SULZER PROJECTILE LOOMS, type PU 153 ZSD 110 KR D1
two colors, Stäubli KR 2 - 2400 dobby - 14 shafts installed, split beams, on-loom take-up,
selvage: side and center tuck-in, double whip rollers

c) 9 SULZER PROJECTILE LOOMS, type PU 153 VSD 110 KR D1
two colors, Stäubli KR 2 - 2400 dobby - 14 shafts installed, split beams, on-loom take-up,
selvage: side and center tuck-in, double whip rollers

Accessories per loom:

- 1 weft feeder for single color and 2 weft feeders for MW, two and four color looms, with el. control box + creel,
- 6 heald frames,
- 3 half warp beams d: 800 mm,
- 1,5 cloth rollers
- 1 center tuck-in unit (TLL)
- 5.000 heddles and drop wires each

machines in good working condition, presently running

Delivery ready – further details upon interest



Item#005128

25 SULZER PROJECTILE LOOMS PU 153 CAM MOTION,

consisting of:

a) 13 SULZER PROJECTILE LOOMS, type PU 153 ES110 E10 / E14 D1

single color, split beams, on-loom take-up,

selvedge: side and center tuck-in, double whip rollers, thereof:

6x E14 cam motion - 7-8 shafts installed, max. beam flange diam. 1000 mm

6 x E10 cam motion - 7-8 shafts installed, max. beam flange diam. 1000 mm

1 x E10 cam motion - 7-8 shafts installed, max. beam flange diam. 800 mm

b) 12 SULZER PROJECTILE LOOMS, type PU 153 MW 110 E 10 D1

weft mixer, E10 cam motion - 7-8 shafts installed, split beams, on-loom take-up,

selvedge: side and center tuck-in, double whip rollers

Accessories per loom:

1 TLL (Tucking unit)

1 weft accumulators with el. panel

6 heald frames

3 Half warp beams(d=800)

1,5 cloth beam

5000 heddles and 5000 droppers

presently all machines are working single color weft insertion



Item#005144

20 SULZER PROJECTILE LOOMS PU 153 cam and dobbie KR,

consisting of:

a) ~~4 SULZER PROJECTILE LOOMS, type PU 153 ES110 E 10 D1~~ SOLD
~~single color, E10 cam motion - 8 shafts installed, split beams, on-loom take-up,~~
~~selvedge: side and center tuck-in, double whip rollers~~

b) ~~8 SULZER PROJECTILE LOOMS, type PU 153 MW 110 E 10 D1~~ SOLD
~~weft mixer, E10 cam motion - 10 shafts installed, split beams, on-loom take-up,~~
~~selvedge: side and center tuck-in, double whip rollers~~

c) ~~2 SULZER PROJECTILE LOOMS, type PU 153 VSD 110 KR D1~~ SOLD
~~four colors, Stäubli KR 1 - 1430 dobbie - 14 shafts installed, split beams, on-~~
~~loom take-up, selvedge: side and center tuck-in, double whip rollers~~

d) 6 SULZER PROJECTILE LOOMS, type PU 153 110 KR D1
two colors, Stäubli KR 2 - 2400 dobbie - 14 shafts installed, split beams, on-
loom take-up, selvedge: side and center tuck-in, double whip rollers

Accessories per loom:

1 weft feeder for single color and 2 weft feeders for MW, two and four color
looms, with el. control box + creel,

6 heald frames,

3 half warp beams d: 800 mm,

1,5 cloth rollers

1 center tuck-in unit (TLL)

5.000 heddles and drop wires each

machines in good working condition, presently running

Delivery ready – further details upon interest